

Figure 1: Screen for Fanconi Anemia defects by Fancd2 monoubiquitination assay.

Equal cell numbers were untreated, or incubated with MMC for 18-20 hours, or irradiated with 15 Gy and incubated for 2 hours, after which protein lysates were made. Protein lysates were immunoblotted for Fancd2. Lack of the upper band indicates a defect in the proximal Fanconi pathway.

BEST AVAILABLE COPY




Figure 2: Homozygous deletion of exons 7-14 in pancreatic cancer cell line PL11.

DNA from pancreatic cancer cell line BxPC3 was used as a control; exons for both samples were amplified in the same PCR plate. Independent reactions were used to confirm the deletion in PL11 and in the parallel xenograft PX192.




Fig. 3 FA-defective cell lines are hypersensitive to crosslinking agents. *a.* MMC

sensitivity of pancreatic cancer cell lines as measured by population quantitation using a measurement of total DNA. *b.* Cisplatin sensitivity of pancreatic cancer cell lines by DNA quantitation. *c.* MMC sensitivity of pancreatic cancer cell lines as measured by manual cell counts. *d.* MMC sensitivity of HNSCC cell lines by DNA quantitation. *e.* Cisplatin sensitivity of HNSCC cell lines by DNA quantitation. Legends are consistent throughout *a.-c.* and *d.-e.*




Figure 4: FA-defective cancer cell lines arrest in G2/M 48 hours after low concentrations of MMC. Cells were treated with various concentrations of MMC for 2 hours, and incubated without MMC for 48 hours, after which the cell cycle was analyzed using a flow cytometer.

FANCA Reference cDNA Sequence

FIGURE 5A

ATGTCCGACTCGTGGGTCCCCGAACTCGCGCTCGGGCCAGGACCCAGGGGG 50
CCGCCGAGGGCCTGGGCCGAGCTGCTGGCGGGAAGGGTCAAGAGGGAAA 100
AATATAATCCTGAAAGGGCACAGAAATTAAAGGAATCAGCTGTGCGCCTC 150
CTGCGAAGCCATCAGGACCTGAATGCCCTTTTGTCTTGAGGTAGAAGGTCC 200
ACTGTGTAAAAAATTGTCTCTCAGCAAAGTGATTGACTGTGACAGTTCTG 250
AGGCCTATGCTAATCATTCTAGTTCAATTTATAGGCTCTGCTTTGCAGGAT 300
CAAGCCTCAAGGCTGGGGGTTCCTCGTGGGTATTTCTCTCAGCCGGGATGGT 350
TGCTCTAGCGTGGGACAGATCTGCACGGCTCCAGCGGAGACCAGTCACC 400
CTGTGCTGCTGACTGTGGAGCAGAGAAAGAAGCTGTCTTCCCTGTTAGAG 450
TTTGCTCAGTATTTATTGGCACACAGTATGTTCTCCCGTCTTTCTCTCTG 500
TCAAGAATTATGGAAAATACAGAGTTCTTTGTTGCTTGAAGCGGTGTGGC 550
ATCTTCACGTACAAGGCATTGTGAGCCTGCAAGAGCTGCTGGAAAGCCAT 600
CCCGACATGCATGCTGTGGGATCGTGGCTCTTCAGGAATCTGTGCTGCCT 650
TTGTGAACAGATGGAAGCATCCTGCCAGCATGCTGACGTCGCCAGGGCCA 700
TGCTTTCTGATTTTGTTCAAATGTTTGTGTTTGGAGGGGATTTAGAAAAAC 750
TCAGATCTGAGAAGAACTGTGGAGCCTGAAAAAATGCCGCAGGTCACGGT 800
TGATGTACTGCAGAGAATGCTGATTTTGTGCACTTGACGCTTTGGCTGCTG 850
GAGTACAGGAGGAGTCCCTCCACTCACAAGATCGTGAGGTGCTGGTTCCGA 900
GTGTTCAGTGGACACACGCTTGGCAGTGTAATTTCCACAGATCCTCTGAA 950
GAGGTTCTTCAGTCATACCTTGACTCAGATACTCACTCACAGCCCTGTGC 1000
TGAAAGCATCTGATGCTGTTTCAAGATGCAGAGAGAGTGGAGCTTTGCGCGG 1050
ACACACCTCTGCTCACCTCACTGTACCGCAGGCTCTTTGTGATGCTGAG 1100
TGCAGAGGAGTTGGTTGGCCATTTGCAAGAAGTTCTGGAAACGCAGGAGG 1150
TTCAGTGGCAGAGAGTGCTCTCCTTTGTGTCTGCCCTGGTTGTCTGCTTT 1200
CCAGAAGCGCAGCAGCTGCTTGAAGACTGGGTGGCGCGTTTGATGGCCCA 1250
GGCATTGAGAGCTGCCAGCTGGACAGCATGGTCACTGCGTTTCTGGTTG 1300
TGCGCCAGGCAGCACTGGAGGGCCCCCTGCGTTTCTGTCTATATGCAGAC 1350
TGGTTCAAGGCCTCCTTTGGGAGCACACGAGGCTACCATGGCTGCAGCAA 1400
GAAGGCCCTGGTCTTCTGTGTTTACGTTCTTGTGAGAACTCGTGCCCTTTTG 1450
AGTCTCCCCGGTACCTGCAGGTGCACATCTCCACCCACCCCTGGTTCCC 1500
GGCAAGTACCGCTCCCTCCTCACAGACTACATCTCATTGGCCAAGACACG 1550
GCTGGCCGACCTCAAGGTTTCTATAGAAAACATGGGACTCTACGAGGATT 1600
TGTCACTCAGCTGGGGACATTACTGAGCCCCACAGCCAAGCTCTTCAGGAT 1650
GTTGAAAAGGCCATCATGGTGTGTTGAGCATACGGGGAACATCCCAGTCAC 1700
CGTCATGGAGGCCAGCATATTCAGGAGGCCCTTACTACGTGTCCCACTTCC 1750
TCCCCGCCCTGCTCACACCTCGAGTGCTCCCCAAAGTCCCTGACTCCCGT 1800
GTGGCGTTTATAGAGTCTCTGAAGAGAGCAGATAAAATCCCCCATCTCT 1850
GTACTCCACCTACTGCCAGGCCTGCTCTGCTGCTGAAGAGAAGCCAGAAG 1900
ATGCAGCCCTGGGAGTGAGGGCAGAACCCTCTGCTGAGGAGCCCTG 1950
GGACAGCTCACAGCTGCACCTGGGAGAGCTGAGAGCCTCCATGACAGACCC 2000
CAGCCAGCGTGATGTTATATCGGCACAGGTGGCAGTGATTTCTGAAAGAC 2050
TGAGGGCTGTCTGGGCCACAATGAGGATGACAGCAGCGTTGAGATATCA 2100
AAGATTGAGCTCAGCATCAACACGCCGAGACTGGAGCCACGGGAACACAT 2150
GGCTGTGGACCTCCTGCTGACGCTTTTCTGTGAGAACCTGATGGCTGCCT 2200
CCAGTGTGCTCCCCCGAGAGGGCCGGTCCCTGGGCTGCCCTCTTCGTG 2250
AGGACCATGTGTGGACGTGTGCTCCCTGCACTGCTCAGGCGCTCTGCCA 2300
GCTGCTCCGTACCAGGGCCCCGAGCCTGAGTGCCCCACATGTGCTGGGGT 2350
TGGCTGCCCTGGCCGTGCACCTGGGTGAGTCCAGGTCTGCGCTCCAGAG 2400
GTGGATGTGGGTCCCTCCTGCACCTGGTGCTGGCTTCTCTGCTCCCTGCGCT 2450
CTTTGACAGCCTCCTGACCTGTAGGACGAGGGATTCTTGTCTTCTGCTGCC 2500

FANCA Reference Protein Sequence

10/540904

MSDSWVPNSASGQDPGRRRAWAELLAGRVIKREKYNPERAQKLKESAVRL 50
LRSHQDLNALLLEVEGPLCKKLSLSKVIDCDSSEAYANHSSSFIGSALQD 100
QASRLGVPVGILSAGMVASSVGQICTAPAETSHPVLLTVEQRKKLSSILE 150
FAQYLLAHSMFSRLSFCQELWKIQSSLLLEAVVHLHVQGIVSLQELLES 200
PDMHVGSWLFRNLCCLEQMEASCQHADVARAMLSDFVQMFVLRGFQKN 250
SDLRRTVEPEKMPQVTVDVLQRMILIPALDALAAGVQESSTHKIVRCWFG 300
VFSGHTLGSVISTDPLKRFPSHTLTQILTHSPVLKASDAVQMQRWSFAR 350
THPLLTSLYRRLFVMLSABELVGHLEQVLETQEVHWQRVLSFVSALVVC 400
PEAQQLLEDWVARLMAQAFESCQLDSMVTAFVVRQAALGSPSAFLSYAD 450
WFKASFGSTRGYHGCSKKALVFLFTFLSELVPFESPRYLQVHILHPPPLVP 500
GKYRSLTLDYISLAKTRLADLKVSIENMGLYEDLSSAGDITEPHSQALQD 550
VEKAIMVFEHTGNIPVTVMEASIFRRPYVSHFLPALLTPRVLPKVPDSR 600
VAFIESLKRADKI PPSLYSTYCQACSAEEKPEDAALGVRAEPNSABEPL 650
GQLTAALGELRASMTDPSQRDVISAQVAVISERLRAVLGHNEEDSSVEIS 700
KIQLSINTPRLEPREHMAVDLLTSFCQNLMAASSVAPPERPGFWAALFV 750
RTMCGRVLPVLTRLCQLLRHQGPSLSAPHVLGLAALAVHLGESRSALPE 800
VDVGPPAPGAGLPVPALFDSLLTCRTRDSLFFCLKFCTAAISYSLCKFSS 850
QSRDTLCSCLSPGLIKKFQFLMFRLFSEARQALSERDVASLSWRPLHLPS 900
ADWQRAALSLSWTHRTFREVLKEEDVHLTYQDWLHLELEIQPEADALSDTE 950
RQDFHQWAIHEHFLPESSASGGCDGDLQAACTILVNALMDFHQSSRSYDH 1000
SENSDLVFGGRTGNEDIISRLQEMVADLELQQDLIVPLGHTPSQEHFLFE 1050
IFRRRLQALTSGWSVAASLQRQRELLMYKRILLRLPSSVLCGSSFQAEQP 1100
ITARCEQFFHLVNSEMRNFCSHGGALTQDITAHFFRGLLNACLRSDPSL 1150
MVDFILAKCQTKCPLILTSALVWVPSLEFVLLCRWRRHCQSPPLPRELQKL 1200
QEGRQFASDFLSPEAASPAPNPDWLSAAALHFAIQVREENIRKQLKKLD 1250
CEREELLVFLFPFSLMGLSSHLTSNSTDLPKAFHVCAAILECLEKRKI 1300
SWLALFQLTESDLRLGRLLLRVAPDQHTRLLPFAFYSLLSYPHEDAAIRE 1350
EAFHLVAVDMYLKLVQLFVAGDTSTVSPPAGRSLELKGQGNPVELITKAR 1400
LFLQLIPRCPKKSFSHVAELLADRGDCDPEVSAALQSRQQAAPDADLSQ 1450
EPHLF. 1456

10/540904

FANCC Reference cDNA Sequence

FIGURE 6A

```
ATGGCTCAAGATTCAGTAGATCTTTCTGTGATTATCAGTTTGGATGCA 50
GAAGCTTTCTGTATGGGATCAGGCTTCCACTTTGGAAACCCAGCAAGACA 100
CCTGTCTTTCAGTGGCTCAGTTCAGGAGTTCTAAGGAAGATGTATGAA 150>
GCCTTGAAAGAGATGGATTCTAATACAGTCATTGAAAGATTCCCCACAAT 200>
TGGTCAACTGTGGCAAAAGCTTGTGGAACTCTTTTATTTTAGCATATG 250>
ATGAAAGCCAAAAAATCTAATATGGTGCTTATGTTGTCTAATTAACAAA 300>
GAACCAAGAAATCTGGACAATCAAACTTAACCTCTGGATACAGGGTGT 350>
ATTATCTCATATACTTTCAGCACTCAGATTTGATAAAGAAGTGTCTTTT 400>
TCACCTCAAGGTCTTGGGTATGCACCTATAGATTACTATCTGGTTTGTCT 450>
AAAAATATGGTTTATCATTAGCGTCTGAACTCAGAGAGAATCATCTTAA 500>
TGGATTTAACACTCAAGGGCAATGGCTCCCGAGCGAGTGGCGTCCCTGT 550>
CACGAGTTTGTGTCCCACTTATTACCCTGACAGATGTTGACCCCTGGTG 600>
GAGGCTCTCCTCATCTGTCTGACGTGAACCTCAGGAAATCTCCAGCC 650>
AGAGTCTTTGAGGCTGTAAACGAGGCCATTTGCTGAAGAAGATTTCTC 700>
TCCCCATGTCTAGCTGTAGTCTGCCTCTGGCTTCGGCACCTTCCAGCCTT 750>
GAAAAAGCAATGCTGCATCTTTTGAAGCTAATCTCCAGTGAGAGAAA 800>
TTGTCTGAGAAGGATCGAATGCTTTTATAAAGATTATCGCTGCCTCAAG 850>
CAGCCTGCCACCCCTGCCATATTCCGGGTTGTTGATGAGATGTTCAAGTGT 900>
GCACTCTCGGAAACCGATGGGGCCCTGGAAATCATAGCCACTATTTCAGGT 1000>
GTTTACGCAGTGCTTTGTAGAAGCTCTGGAGAAAGCAAGCAAGCAGCTGC 1050>
GGTTTGCACTCAAGACCTACTTTCTTACACTTCTCCATCTCTTGCCATG 1100>
GTGCTGCTGCAAGACCCTCAAGATATCCCTCGGGGACACTGGCTCCAGAC 1150>
ACTGAAGCATATTTCTGAACTGCTCAGAGAAGCAGTTGAAGACCAGACTC 1200>
ATGGGTCTCTGCGGAGGTCCCTTTGAGAGCTGGTTCCCTGTTCACTTCTC 1250>
GGAGGATGGGCTGAGATGGTGGCAGAGCAATTACTGATGTCGGCAGCCGA 1300>
ACCCCCACGGCCCTGCTGTGGCTCTTGGCCTTCTACTACGGCCCCCGTG 1350>
ATGGGAGGCAGAGAGCACAGACTATGGTCCAGGTGAAGGCCGTGCTGGGC 1400>
CACCTCCTGGCAATGTCCAGAAGCAGCAGCCTCTCAGCCCAGGACCTGCA 1450>
GACGCTAGCAGGACAGGGCACAGACACAGACCTCAGAGCTCCTGCACAAC 1500>
AGCTGATCAGGCACCTTCTCCTCAACTTCTGCTCTGGGCTCCTGGAGGC 1550>
CACACGATCGCTGGGATGTATCACCCTGATGGCTCACACTGCTGAGAT 1600>
AACTCAGAGATCATTTGGCTTTCTTGACCAGACCTTGTACAGATGGAATC 1650>
GTCTTGGCATGAAAGCCCTAGATCAGAAAACTGGCCCGAGAGCTCCTT 1700>
AAAGAGCTGCGAACTCAAGTCTAG 1724
```

8/17
FANCC Reference Protein Sequence
FIGURE 6B

10/540904

MAQDSVDLSCDYQFWMQKLSVWDQASTLETQQDTCLHVAQFQEFRLRMYE 50
ALKEMDSNTVIERPPTIGQLLAKACWNPPILAYDESQLIWLCLCCLINK 100
EPQNSGQSKLNSWIQGVLSHLSALRFDKEVALFTQGLGYAPIDYYPGLL 150
KNMVLSLASELRENHLNGFNTQRRMAPERVASLSRVCVPLITLTDVDPV 200
EALLICHGREPQEILQPEFFEAVNEAILKKISLPMSAVVCLWLRHLPSL 250
EKAMLHLFEKLISSENRCLRRIECFIKDSSLPQAACHPAIFRVVDEMPRC 300
ALLETDGALEIIATIQVFTQCFVEALEKASKQLRFALKTYFFPYTSPSLAM 350
VLLQDPQDI PRGHWLQTLKHISELLREAVEDQTHGSCGGPFESWFLFIHF 400
GGWAEMVAEQLLMSAAEPPTALLWLLAFYYGPRDGRQRAQTMVQVKAVLG 450
HLLAMSRSSSLSAQDLQTVAGQGTDTDLRAPAQQLIRHLLLNFLWAPGG 500
HTIAWDVITLMAHTAEITHRIIGFLDQTLYRWNRLGIESPRSEKLARELL 550
KELRTQV. 558

10/540904

FANCD2 Reference cDNA Sequence

FIGURE 7A

```
ATGGTTTCCAAAAGAAGACTGTCAAATCTGAGGATAAAGAGAGCCTGAC 50
AGAAGATGCCTCCAAAACCAGGAAGCAACCCTTTCCAAAAGACAAAGA 100
AATCTCATATTGCTAATGAAGTTGAAGAAATGACAGCATCTTTGTAAAG 150
CTTCTTAAGATATCAGGAATTATTCTTAAACCGGAGAGAGTCAGAATCA 200
ACTAGCTGTGGATCAAATAGCTTTCCAAAAGAAGCTCTTTCCAGACCCTGA 250
GGAGACACCCCTTCTATCCCAAATAATAGAAGAATTGTAGTGGCCTG 300
GAGTCTTACATTGAGGATGAAGACAGTTTCAGGAACTGCCTTTGTCTTG 350
TGAGCGTCTGCAGGATGAGGAAGCCAGTATGGGTGCATCTTATTCTAAGA 400
GTCTCATCAAACCTGCTTCTGGGGATTGACATACTGCAGCCTGCCATTATC 450
AAAACCTTATTTGAGAAGTTGCCAGAATATTTTGTGAAAACAAGAACAG 500
TGATGAAATCAACATACTCGACTCATTGTCACTCAACTAAAATGGCTTG 550
ACAGAGTTGTGGATGGCAAGGACCTCACCACCAAGATCATGCAGCTGATC 600
AGTATTGCTCAGAGAACCCTGCAGCATGACATCATCACCAGCCTACCTGA 650
GATCCTAGGGGATTCCCAGCAGCTGATGTGGGGAAAGAACTCAGTGACC 700
TACTGATAGAGAATACTTCACTCACTGTCCAATCCTGGATGTCTTTCA 750
AGCCTCCGACTTGACCCAACTTCTATTGAAGGTTGCCAGTTGGTGAT 800
GGATAAGTTGTCTGCTAATTAGATTGGAGGATTTACCTGTGATAATAAAGT 850
TCATTCTTCATTCCGTAACAGCCATGGATACACTTGAGGTAATTTCTGAG 900
CTTCGGGAGAAGTTGGATCTGCAGCATTGTGTTTTCGCATCACGGTTACA 950
GGCTTCCCAAGTAAAGTTGAAAAGTAAAGGACGAGCAAGTTCTCAGGAA 1000
ATCAAGAAAGCAGCGGTGAGAGCTGTATTATTCTCTCTTTGATGTAATA 1050
AAGTCAGCTATTAGATATGAGAAAACATTTCAGAAGCCTGGATTAAAGGC 1100
AATTGAAAACACTGCCTCAGTATCTGAACACAAGGTGTTGACCTGGTGA 1150
TGCTTTTCATCATCTATAGCACCAATACTCAGACAAAGAGTACATTGAC 1200
AGGGTGCTAAGAAATAAGATTTCGATCAGGCTGCATTCAAGAACAGCTGCT 1250
CCAGAGTACATTCTCTGTTCACTTACTTAGTTCTTAAGGATATGTGTTTCA 1300
CCATTCTGTGCTGGCTCAGAGTTTGCTTCACTCTCTAGACCAGAGTATA 1350
ATTTCAATTGGCAGTCTCCTATACAAATATGCATTAAAGTTTGTGACAC 1400
GTACTGCCAGCAGGAAGTGGTTGGTGCTTAGTGACCCATATCTGCAGTG 1450
GGAATGAAGCTGAAGTTGATACTGCCTTAGATGTCTTCTAGAGTTGGTA 1500
GTGTTAAACCCATCTGCTATGATGATGAATGCTGTCTTTGTAAAGGGCAT 1550
TTTAGATTATCTGGATAACATATCCCTCAGCAAAATACGAAAACCTCTTCT 1600
ATGTTCTCAGCACACTGGCATTAGCAAAACAGAAAGCCAGCAGCCAC 1650
ATCCAGGATGACATGCACCTTGGTGATAAGAAAGCAGCTCTCTAGCACCGT 1700
ATTCAAGTACAAGCTCATTTGGGATTATTGGTGCTGTGACCATGGCTGGCA 1750
TCATGGCGGCAGACAGAAGTGAATCACCTAGTTTGACCCAAGAGAGAGCC 1800
AACCTGAGCGATGAGCAGTGACACAGGTGACCTCTTGTGCAAGTTGGT 1850
TCATTCTGCACTGAGCAGTCTCCTCAGGCCTCTGCACCTTACTATGATG 1900
AATTTGCCAACCTGATCCAACATGAAAAGCTGGATCCAAAGCCCTGGAA 1950
TGGGTTGGGCATACCATCTGTAATGATTTCAGGATGCCTTCGTAGTGGA 2000
CTCTGTGTTGTTCCGGAAGGTGACTTCCATTTCCTGTGAAAAGCACTGT 2050
ACGGACTGGAAGAATACGACACTCAGGATGGGATTGCCATAAACCTCCTG 2100
CCGCTGCTGTTTCTCAGGACTTTCGAAAAGATGGGGGTCCGGTGACCTC 2150
ACAGGAATCAGGCCAAAATTTGGTGTCTCCGCTGTGCTGGCTCCGTATT 2200
TCCGGTTACTGAGACTTTGTGTGGAGAGACAGCATAACGGAACCTTGGAG 2250
GAGATTGATGGTCTACTAGATTGTCTTATATTCTTAACCTGACCTGGAGCC 2300
TGGAGAGAAGTTGGAGTCCATGTCTGCTAAAGAGCGTTCATTTCATGTGTT 2350
CTCTCATATTTCTTACTCTCAACTGGTTCCGAGAGATTGTAATATGCCTTC 2400
TGCCAGGAAACATCACCTGAGATGAAGGGGAAGGTGCTCACTCGGTTAAA 2450
GCACATTGTAGAATTGCAAAATATCTGGAAGAAAGTACTTGGCAGTCACCC 2500
CAGACTATGTCCCTCCTCTTGGAACTTTGATGTGGAACCTTTAGATATA 2550
ACACCTCATACTGTTACTGCTATTTTCAGCAAAAATCAGAAAGAAAGGAAA 2600
AATAGAAAGGAAACAAAAACAGATGGCAGCAAGACATCCTCCTCTGACA 2650
CACTTTCAGAAAGAAATAATCAGAAATGTGACCTACGCCATCTCATAGA 2700
GGCCAGCTAAACAAGGAGTTCACAGGGAAGGAAGAAAGACATCATTGTT 2750
ACTACATAAATCCCATGCTTTTTCGAGAGCTGGACATTGAGGTCTTCT 2800
CTATTCTACATTGTGGACTTGTGACGAAGTTCATCTTAGATACTGAAATG 2850
CACACTGAAGCTACAGAAGTTGTGCAACTTGGGCCCTGAGCTGCTTTT 2900
CTTGCTGGAAGATCTCTCCAGAAGCTGGAGAGTATGCTGACACCTCCTA 2950
TTGCCAGGAGAGTCCCTTTCTCAAGAACAAAGGAAGCCGGAATATTGGA 3000
TTCTCACATCTCCAACAGAGATCTGCCCAAGAAATTTGTTTCATTGTGTTT 3050
TCAACTGCTGACCCCAATGTGTAACCACTGGAGAACATTCACTACTATT 3100
TTCAGTGTGTTAGCTGCTGAGAATCACGGTGTAGTTGATGGACAGGAGTG 3150
AAAGTTCAGGAGTACCACATAATGTCTTCTGCTATCAGAGGCTGCTGCA 3200
```

10/540904

FIGURE 7 A

GATTTTTCATGGGCTTTTGGCTTGGAGTGGATTCTCTCAACCTGAAAATC 3250
AGAATTTACTGTATTTCAGCCCTCCATGTCCTTAGTAGCCGACTGAAACAG 3300
GGAGAACACAGCCAGCCCTTGGAGGAACTACTCAGCCAGAGCGTCCATTA 3350
CTTGCAGAATTTCCATCAAAGCATTCCAGTTTCCAGTGTGCTCTTTATC 3400
TCATCAGACTTTTGATGGTTATTTGGAGAAATCAACAGCTTCTGCTCAG 3450
AACAAAGAAAAAATTGCTTCCCTTGGCCAGACAATTCTCTGTCTGGGTGTG 3500
GCCAAGTGGGGATAAAGAGAAGAGCAACATCTCTAATGACCAGCTCCATG 3550
CTCTGCTCTGTATCTACCTGGAGCACACAGAGAGCATTCTGAAGGCCATA 3600
GAGGAGATTGCTGGTGTGGTGTCCAGAACTGATCAACTCTCCTAAAGA 3650
TGCATCTTCCCTCCACATTCCCTACACTGACCAGGCATACTTTTGTGTTT 3700
TCTTCCGTGTGATGATGGCTGAACTAGAGAAGACGGTGAAAAAATTGAG 3750
CCTGGCACAGCAGCAGACTCGCAGCAGATTCTGAAGAGAACTCCTCTA 3800
CTGGAACATGGCTGTTCGAGACTTCAGTATCCTCATCAACTTGATAAAGG 3850
TATTTGATAGTCATCCTGTCTGTCATGTATGTTGAAGTATGGGCGTCTC 3900
TTTGTGGAAGCATTCTGAAGCAATGTATGCCGCTCCTAGACTTCAGTTT 3950
TAGAAAAACACCGGAAGATGTTCTGAGCTTACTGGAACCTTCCAGTTGG 4000
ACACAAGGCTGCTTCATCACCTGTGTGGGCATTCCAAGATTCACCAGGAC 4050
ACGAGACTCACCCAACATGTGCCTCTGCTCAAAAAGACCCTGGAACTTT 4100
AGTTTGCAGAGTCAAAGCTATGCTCACTCTCAACAATTGTAGAGAGGCTT 4150
TCTGGCTGGGCAATCTAAAAAACCGGGACTTGCAAGGTGAAGAGATTAAAG 4200
TCCCAAATTTCCAGGAGAGCACAGCAGATGAGAGTGAGGATGACATGTC 4250
ATCCCAAGCCTCCAAGAGCAAAGCCACTGAGGATGGTGAAGAAGACGAAG 4300
TAAGTCTGGAGAAAAGGAGCAAGATAGTGTGAGAGTTATGATGACTCT 4350
GATTAG 4356

10/540904

FANCD2 Reference Protein Sequence

MVSKRRLSKSEDKESLTEDASKTRKQPLSKTKKSHIANEVEENDSIFVK 50
LLKISGIILKTGESQNLAVDQIAFQKKLFQTLRRHPSYPKIIIEEFVSGL 100
ESYIEDSDSPFNCLLSCERLQDEEASMGASYSKSLIKLLLGIDILQPAII 150
KTLFEKLPFYFFENKNSDEINIPRLIVSQLKWLDRVVDGKDLTTKIMQLI 200
SIAPENLQHDIITSLPEILGDSQHADVKGKELSDLLIENTSLTVPILDVLS 250
SLRLDENFLLKVRQLVMDKLSIRLEDLPVIKFIHLSVTAMDTLEVISE 300
LREKLDLQHCVLP SRLQASQVKLKSGRASSSGNQESSGQSCIILLFDVI 350
KSAIRYEKTI SEAWIKAIENTASVSEHKVFDLVMLFIIYSTNTQTKKYID 400
RVLRNKIRSGCIEQLLQSTFSVHYLVKDMCSSLISLAQSLHSLDQSI 450
ISFGSLLYKYAFKFFDTYCCQEVVVGALVTHICSGNEAEVDTALDVLELV 500
VLNPSAMMNAVFVKGILDYLDNIS PQQIRKLFYVLSTLAFSKQNEASSH 550
IQDDMHLVIRKQLSSTVF KYKLIGIIGAVTMAGIMAADRSESPSLTQERA 600
NLSDEQCTQVTSLLQLVHSCSEQSPQASALYDEFANLIQHEKLDPKALE 650
WVGHTICNDFQDAFVVDSCVVP EGDFFPFPVKALYGLEEYDTQDGIAINLL 700
PLLFSQDFAKDGGPVTSQESGQKLVSPLCLAPYFRLLRLCVERQHNGNLE 750
EIDGLLDCPIFLTDLSPGEKLESMSAKERSFMC SLIFLTNLWFREIVNAF 800
CQETSPFMKGKVLTRLKHIVELQIILEKYLA VTPDYVPPLGNFVDVETLDI 850
TPHTVTAISAKIRKKGKIERKQKT DGSKTSSSDTLSEEKNSECDPTPSHR 900
GQLNKEFTGKEEKTSLLLHNSHAFPRELDIEVFSLHCGLVTKFILDTEM 950
HTEATEVVQLGPPELLFLLLEDLSQKLESMLTPPIARRVPPFLKNKGSRNIG 1000
FSHLQQRSAQEIVHCVFQLLTPMCNHLNHNHNYFQCLAARNHGVVDGPGV 1050
KVQEHYHIMSSCYQRLQLIFHGLFAWSGFSPENQNLLYSALHVLSSRLKQ 1100
GEHSQPLEBLLSQSVHYLQNFHQSI PSFQCALYLIRLLMVILEKSTASAQ 1150
NKEKIASLARQFLCRVWPSGDKEKSNISNDQLHALLCIYLEHTESILKAI 1200
EEIAGVGVP ELINSPKDASSSTFP TLRHTFVVFFRVMMAELEKTVKKIE 1250
PGTAADSQQIHEEKLLYWNMAVRDFSILINLIKVFDSHPVLHVCLKYGRL 1300
FVEAFLKQCMPLLD FSFRKHREDVLSLLET FQLDTRLHLHLCGHSKIHQD 1350
TRLTQHVPPLKKTLELLVCRVKAMLT LNNCREAFWLGNLKNRDLQGEI K 1400
SQNSQESTADESEDDMSSQASKSKATEDGBEDEV SAGEKEQDSDES YDDS 1450
D. 1452

10/540904

FANCE Reference cDNA Sequence

FIGURE 8A

```
ATGGCGACACCGGACGCGGGGCTCCCTGGGGCTGAGGGCGTGGAGCCGGC 50
GCCCTGGGCGCAGCTGGAGGCCCCCGCCCGCTCCTGCTGCAGGCGCTGC 100
AGGCGGGGCTGAGGGGGCGCGCGCGGCTGGGGGTGCTCCGGGCGCTG 150
GGCAGCCGCGGCTGGGAGCCCTTCGACTGGGGTCGCTTGCTCGAGGCCCT 200
GTGCCGGGAGGAGCCGCTCGTGCAGGGGCTGACGGCCGCTCGAGCTGA 250
AACCCTGTGTGCTGCGATTGCCCCGGATATGCCAGAGGAACCTGATGTCC 300
CTGCTGATGGCCGTTTCGGCCATCGCTGCCGGAAGTGGGCTCCTCTCTGT 350
GCTGCAGATTGCCAGCAGGACCTAGCCCCGTGACCCGATGCCTGGCTCC 400
GTGCCCTGGGGGAATTGCTGCCAAGGGATTGGGGGTGGGGACCTCCATG 450
GAGGGAGCTTCTCCACTGTCTGAAAGATGCCAGAGACAGCTCCAAAGTCT 500
ATGTAGGGGGCTGGGCTGGGGGCGAGGAGTTGAAATCCCCCAGGCTC 550
CAGACCTGAAGAAGAGGAGAACAGGGACTCCACAGAGCTGGGAAACGC 600
AGAAAGGACTCAGAGGAAGAGGCTGCCAGTCTGAGGGGAAGAGGTTCC 650
CAAAGATTACGGTGTGGGAAGAGGAAGAAGATCATGAGAAGGAGAGAC 700
CCGAACATAAGTCACTGGAATCCCTGGCAGATGGAGGAAGTGCATCTCCT 750
ATTAAGGACCAGCCTGTCTATGGCAGTTAAGACTGGCGAGGACGGTTCGAA 800
TCTGGATGATGCTAAAGGTCTGGCTGAGAGTTTGGAGTTGCCCAAAGCTA 850
TCCAGGACCAGCTTCCAGGCTGCAGCAGCTGCTGAAGACCTTGGAGGAG 900
GGGTTAGAGGGATTGGAGGATGCCCCCAGTTGAGCTACAGCTTCTTCA 1000
CGAATGTAGTCCCAGCCAGATGGACTTGCTGTGTGCCAGCTGCAGCTCC 1050
CTCAGCTCTCAGACCTCGGTCTCCTGCGGCTCTGCACCTGGCTGCTGGCC 1100
CTTTCACCTGATCTCAGCCTCAGCAATGCTACTGTGCTGACCAGAAGCCT 1150
CTTCTTGGACGGATCCTCTCCTTGAATTCCTCAGCCTCCCGCCTGCTTA 1200
CAACTGCCCTGACCTCCTTCTGTGCCAAATATACATAACCTGTCTGCAGC 1250
GCCCTCCTTGACCCTGTGCTCCAGGCCCCAGGCACAGGTCTGCTCAAAC 1300
AGAGTTACTGTGTGCTTGTGAAGATGGAGTCCCTGGAGCCAGATGCAC 1350
AGGTTCTAATGCTGGGACAGATCTTGGAGCTGCCCTGGAAGGAGGAACT 1400
TTCTTGGTGTGTCAGTCACTCCTAGAGCGGCAGGTGGAGATGACCCCTGA 1450
GAAGTTCACTGTCTTAATGGAGAAGCTCTGTAAAAAGGGGCTGGCAGCCA 1500
CCACCTCCATGGCCTATGCCAAGCTCATGCTGACAGTGTGACCAAGTAT 1550
CAGGCTAACATCACTGAGACCCAGAGGCTGGGCTTGGCTATGGCCCTAGA 1600
ACCTAACACCACCTTCTGAGGAAGTCCCTGAAGGCCGCTTGAACATT 1650
TGGGCCCCCTGA 1661
```

10/540904

FIGURE 8B
FANCE Reference Protein Sequence

FANCA	FANCC	FANCD2	FANCE	FANCE	FANCG
cDNA	cDNA	cDNA	cDNA	cDNA	cDNA
Protein	Protein	Protein	Protein	Protein	Protein

MATPDAGLPGAEGVEPAPWAQLEAPARLLQLQAGPEGARRGLGVLRAL 50
 GSRGWEPFDWGRLLLEALCREEPVVOGPDGRLELKPILLRLPRICQRNLMS 100
 LLMAVRPSLPESGLLSVLQIAQQDLAPDPDAWLRLALGELLRRDLGVGTSM 150
 EGASPLSERCQRQLQSLCRGLGLGRRRLKSPQAPDPEEEENRDSQQPGKR 200
 RKDSEEEAASPEGKRVPKRLRCWEEEDHEKERPEHKSLESADGGSASP 250
 IKDQPVMAVKTGEDGSNLDDAKGLAESLELPKAIQDQLPRLQQLKTLEE 300
 GLEGLEDAPPVELQLLHECSPSQMDLLCAQLQLPQLSDLGLLRLCTWLLA 350
 LSPDLSLSNATVLTRSLFLGRILSLTSSASRLTTALTSTFCAKYTFVCS 400
 ALLDPVLQAPGTGPAQTELLCCLVKMESLEPDQVIMLGQILELPWKEET 450
 FLVLQSLLERQVEMTPEKFSVLMEKLCCKGLAATTSMAYAKMLTVMTKY 500
 QANITETQRLGLAMALEPNTTFLRKSLKAALKHLGP. 537

10/540904

FANCF Reference cDNA Sequence**FIGURE 9A**

```
ATGGAATCCCTTCTGCAGCACCTGGATCGCTTTTCCGAGCTTCTGGCGGT 50
CTCAAGCACTACCTACGTACAGCACCTGGGACCCCGCCACCGTGCGCCGGG 100
CCTTGCACTGGGCGCGCTACCTGCGCCACATCCATCGGCGCTTGGTTCGG 150
CATGGCCCCATTTCGCACGGCTCTGGAGCGGCGGCTGCACAACCACTGGAG 200
GCAAGAGGGCGGCTTTGGGCGGGGTCCAGTTCGGGATTAGCGAACTTCC 250
AGGCCCTCGGTCACTGTGACGTCCTGCTCTCTGCGCCTGCTGGAGAAC 300
CGGGCCCTCGGGGATGCAGCTCGTTACCACCTGGTGCAGCAACTCTTCC 350
CGGCCCGGGCGTCCGGGACGCCGATGAGGAGACACTCCAAGAGAGCCTGG 400
CCCGCCTTGCCCGCCGGCGGTCTGCGGTGCACATGCTGCGCTTCAATGGC 450
TATAGAGAGAACCCAAATCTCCAGGAGGACTCTCTGATGAAGACCCAGGC 500
GGAGCTGCTGCTGGAGCGTCTGCAGGAGGTGGGGAAGGCCGAAGCGGAGC 550
GTCCCGCCAGGTTTCTCAGCAGCCTGTGGGAGCGCTTGCCCTCAGAACAA 600
TTCTGAAGGTGATAGCGGTGGCGCTGTTGCAGCCGCTTTGTCTCGTCG 650
GCCCCAAGAAGATTGGAACCGGCATCCACAAATCACCTGGAGAGGGGA 700
GCCAAGTGCTAGTCCACTGGCTTCTGGGGAATTCGGAAGTCTTTGCTGCC 750
TTTTGTGCGCCCTCCAGCCGGGCTTTTGACTTTAGTGAAGTACCGCCA 800
CCCAGCGCTGTCTCTGTCTATCTGGGTCTGCTAACAGACTGGGGTCAAC 850
GTTTGCACATATGACCTTCAGAAAGGCATTTGGGTTGGAAGTGAAGTCCAA 900
GATGTGCCCTGGGAGGAGTTGCACAATAGGTTTCAAAGCCTCTGTAGGC 1000
CCCTCCACCTCTGAAAGATAAAGTTCTAACTGCCCTGGAGACCTGTAAAG 1050
CGCAGGATGGAGATTTGAAGTACCTGGTCTTAGCATCTGGACAGACCTC 1100
TTATTAGCTCTTCGTAGTGGTGCATTTAGGAAAAGACAAGTTTGGGTCT 1150
CAGCGCAGGCCTCAGTTCTGTATAG 1175
```

10/540904

FIGURE 9B
FANCF Reference Protein Sequence

FANCA	FANCC	FANCD2	FANCE	FANCF	FANCG
cDNA	cDNA	cDNA	cDNA	cDNA	cDNA
Protein	Protein	Protein	Protein	Protein	Protein

MESLLQHLDRFSELLAVSSTTYVSTWDPATVRRALQWARYLRHIHRRFGR 50
 HGPIRTALERRRLHNQWRQEGGFGRGPVPGLANFQALGHCDVLLSLRLLEN 100
 RALGDAARYHLVQQLFPGPGVVRDADEETLQESLARLARRRSAVHMLRFNG 150
 YRENPNLQEDSLMKTQAEALLERLQEVGKAEARPARFLSSLWERLPQNN 200
 FLKVIAVALLQPPLSRRPQEELEPGIHKSPGEGSQVLVHWLLGNSEVFAA 250
 FCRALPAGLLTLVTSRHPALSPVYLGLLTDWGQRLHYDLQKGIWVGTESQ 300
 DVPWEELHNRFSQSLCQAPPPLKDKVLTALCTCKAQDGDPEVPGLSIWTDL 350
 LLALRSGAPRKRQVLGLSAGLSSV. 375

10/540904

FANCG Reference cDNA Sequence

FIGURE 10A

```
ATGTCCCGCCAGACCACCTCTGTGGGCTCCAGCTGCCTGGACCTGTGGAG 50
GGAAAAGAATGACCGGCTCGTTCGACAGGCCAAGGTGGCTCAGAACTCCG 100
GTCTGACTCTGAGGCGACAGCAGTTGGCTCAGGATGCACTGGAAGGCTC 150
AGAGGGCTCCTCCATAGTCTGCAAGGGCTCCCTGCAGCTGTTCTGTTCT 200
TCCCTTGGAGCTGACTGTCACTGCAACTTCATTATCCTGAGGGCAAGCT 250
TGGCCAGGGTTTCACAGAGGATCAGGCCAGGATATCCAGCGGAGCCTA 300
GAGAGAGTGTGGAGACACAGGAGCAGCAGGGGCCAGGTTGGAACAGGG 350
GCTCAGGGAGCTGTGGGACTCTGTCTTTCGTGCTTCTGCTTCTGCTG 400
AGCTGCTGTCTGCCCTGCACCGCCTGCTTGGCTGCAAGGCTGCCCTCTG 450
TTGAGTGTCTGACCGTCTTGGGGACCTGGCCTTGTTACTAGAGACCTGAA 500
TGGCAGCCAGAGTGGAGCCTCTAAGGATCTGTGTTACTTCTGAAAACCT 550
GGAGTCCCCCAGCTGAGGAATTAGATGCTCCATTGACCTGCAGGATGCC 600
CAGGGATTGAAGGATGTCTCTCTGACAGCATTGCTTACCGCAAGGTCT 650
CCAGGAGCTGATCACAGGGAACCCAGACAAGGCACCTAAGCAGCCTTCAT 700
AAGCGGCCTCAGGCCCTGTGTCCACGGCCTGTGTTGGTCCAGGTGTACAC 750
GCACTGGGGTCTCTGTACCGTAAGATGGGAAATCCACAGAGAGCACTGTT 800
GTACTTGGTTGCAGCCCTGAAAGAGGGATCAGCCTGGGGTCTCCACTTC 850
TGGAGGCCTCTAGGCTCTATCAGCAACTGGGGGACACAACAGCAGAGCTG 900
GAGAGTCTGGAGCTGCTAGTTGAGGCCTTGAATGTCCCATGCAGTTCCAA 950
AGCCCCGCACTTCTCATTGAGGTAGAATTACTACTGCCACCACCTGACC 1000
TAGCCTCACCCCTTCATTGTGGCACTCAGAGCCAGACCAAGCACATACCTA 1050
GCAAGCAGGTGCCTACAGACCGGGAGGGCAGGAGACGCTGCAGAGCATTA 1100
CTTGGACCTGCTGGCCCTGTGTCTGGATAGCTCGGAGCCAAGGTTCTCCC 1150
CACCCCTCTCCCTCCAGGGCCCTGTATGCTGAGGTGTTTTTGGAGGCA 1200
GCGGTAGCACTGATCCAGGCAGGCAGAGCCCAAGATGCCTTGACTCTATG 1250
TGAGGAGTTGCTCAGCCGCACATCATCTCTGTACCCAAGATGTCCCGGC 1300
TGTGGGAAGATGCCAGAAAAGGAACCAAGGAAGTCCCATAGTCCCACTC 1350
TGGGTCTCTGCCACCCACCTGCTTCAGGGCCAGGCCTGGGTTCAACTGGG 1400
TGCCCAAAAAGTGGCAATTAGTGAATTTAGCAGGTGCCTCGAGCTGCTCT 1450
TCCGGGCCACACCTGAGGAAAAGAACCAAGGGCAGCTTTCAGCTGTGAG 1500
CAGGGATGTAAGTCAGATGCGGCACTGCAGCAGCTTCGGGCAGCCGCCCT 1550
AATTAGTCGTGACTGGAATGGGTAGCCAGCGGCCAGGATACCAAGCCT 1600
TACAGGACTTCTCTCCTCAGTGTGCAGATGTGCCAGGTAATCGAGACACT 1650
TACTTTCACCTGCTTCAGACTCTGAAGAGGCTAGATCGGAGGGATGAGGC 1700
CACTGCACCTCTGGTGGAGGCTGGAGGCCAACTAAGGGGTCACATGAAG 1750
ATGCTCTGTGGTCTCTCCCCCTGTACCTAGAAAGCTATTTGAGCTGGATC 1800
CGTCCCTCTGATCGTGACGCCCTTCCTTGAAGAATTTCCGACATCTCTGCC 1850
AAAGTCTTGTGACCTGTAG 1869
```

10/540904

FANCG Reference Protein Sequence

FIGURE 10B

FANCA	FANCC	FANCD2	FANCE	FANCE	FANCG
cDNA	cDNA	cDNA	cDNA	cDNA	cDNA
Protein	Protein	Protein	Protein	Protein	Protein

MSRQTTSVGSSCLDLWREKNDRLVRQAKVAQNSGLTLRRQQLAQDALEGL 50
 RGLLHSLQGLPAAVPVLPLELTVTCNFII LRASLAQGFTEDQAQDIQRSL 100
 ERVLETQEQQGPRLEQGLRELWDSVLRASCLLPPELLSALHRLVGLQAALW 150
 LSADRLGDLALLLETLNGSQSGASKDLLLLLKTWSPPAEELDAPLTLQDA 200
 QGLKDVLLTAFAYRQGLQELITGNPDKALSSSLHEAASGLCPRPVLVQVYT 250
 ALGSCHRMGNPQRALLYLVAALKEGSAWGPPILLEASRLYQQLGDTTAEI 300
 ESLELLVEALNVPCCSKAPQFLIEVELLLPPPDLASPLHCGTQSQTKHIL 350
 ASRCLQTGRAGDAAEHYLDLLALLLDSSEPRFSPPSPPGPCMPFVFLA 400
 AVALIQAGRAQDALTLCEELLRTSSLLPKMSRLWEDARKGTKELPYCPL 450
 WVSATHLLQGQAWVQLGAQKVAISEFSRCELELLFRATPEEKEQGA FNCE 500
 QGCKSDAALQQLRAAALISRGLEWVASGQDTKALQDFLLSVQMCPGNRDT 550
 YFHLLQTLKRLLDRRDEATALWWRLEAQTGSHEDALWSLPLYLESYLSWI 600
 RPSDRDAFLEEFRTSLPKSCDL. 623

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.